

INCLUSIVE[®]

DENTAL IMPLANT SYSTEM

Product Catalog

May 2015





Certificate of Registration



By Royal Charter

QUALITY MANAGEMENT SYSTEM - ISO 13485:2003

This is to certify that:

Prismatik Dentalcraft, Inc.
a wholly owned subsidiary of
Glidewell Laboratories
2212 Dupont Drive
Irvine
California
92612
USA

Holds Certificate No:

FM 573328

and operates a Quality Management System which complies with the requirements of ISO 13485:2003 for the following scope:

Design and manufacturing of dental restorative products.

The above scope of registration includes activities at:
2181 Dupont Drive, Irvine CA
18651 Von Karman, Irvine CA

For and on behalf of BSI:

VP Regulatory Affairs, BSI Group America Inc.

Originally registered: 09/02/2011

Effective Date: 08/25/2014

Expiry Date: 08/24/2017



CMDCAS
Recognized
Registrar



...making excellence a habit.™

Introducing the Inclusive® Dental Implant System _____

Founded in 2006 with the goal of expanding the availability of comprehensive dental implant therapy to patients across the economic spectrum, Prismatic Dentalcraft reduces the component and restorative cost of treatment while maintaining the highest standard of quality. Having assembled a diverse team of experts with decades of combined experience in the design, engineering, and manufacture of dental implants, along with a staff of highly respected researchers, material scientists, clinical specialists, restorative doctors, and dental technicians, we at Prismatic are dedicated to advancing implant dentistry by combining proven treatment protocols with cutting-edge materials, technologies, and techniques.

The Inclusive® Dental Implant System is the result of an expansive effort to offer clinicians and their patients a simple, convenient, affordable way to restore missing dentition. Choose between conventional-diameter or small-diameter implant assortments, supported by a wide array of restorative options, and discover a system streamlined for ease of use, yet versatile enough to address almost any clinical indication. In keeping with our commitment to quality, Inclusive implant components are precision-machined to tight tolerances in an ISO 13485 certified environment in Irvine, California, operating under the U.S. Food and Drug Administration Current Good Manufacturing Practices (CGMPs).

From its beginnings until today, Prismatic Dentalcraft has experienced an ever-growing demand in support of its vision to make dental implant therapy more accessible to patients around the globe. This growth has enabled the company to consistently expand and improve its offerings even in a time of widespread economic challenge. The Inclusive brand has quickly established itself as a trusted name within the industry, and Prismatic Dentalcraft as a manufacturer at the forefront of dental technology.

Thank you for choosing Prismatic. You can place your trust in us.

Copyright © 2015, Prismatic Dentalcraft, Inc. Prismatic Dentalcraft, Inc. is not responsible for any damages or other liabilities (including attorney fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this information. The techniques, procedures and theories presented herein are provided in good faith and believed to be correct as of the date hereof. Any dental professional viewing this presentation must make his or her own decisions about the use of the materials and techniques for specific situations.

No representations as to the completeness or accuracy of this information is given, and no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made here under with respect to the information or the product to which information refers.



5	Tapered Implant System
6	Technical Specifications
7	Tapered Implants
8	Healing Components
9	Impression Components
11	Stock Abutments
12	Screws & Guide Pins
13	Multi-Unit Abutment System
15	LOCATOR® Abutment System
17	Surgical Kit Overview
19	Drills & Taps
20	Drivers & Accessories
21	Mini Implant System
22	Technical Specifications
23	Mini Implant with O-ball Head
24	Prosthetic Components
25	Surgical Kit Overview
27	Instrumentation
28	Implant Packaging
29	Policies and Warranty
30	Parts Index



INCLUSIVE[®]
TAPERED IMPLANT SYSTEM













Technical Specifications













Tapered Implants

Inclusive® Tapered Implants are machined from high-strength titanium alloy and incorporate design features for achieving high primary stability, crestal bone preservation, soft tissue maintenance, maximum bone-to-implant contact, natural root shape, and compatibility with popular prosthetic components and instrumentation. Inclusive Tapered Implants are available in four major diameters, each of which is available in five lengths. Two standard prosthetic platform sizes (3.5 mm, 4.5 mm) minimizes the number of system components and simplifies the restorative process.

		Description	Code
Inclusive® Tapered Implant			
			
70-1070-IMP0005	70-1070-IMP0006	70-1070-IMP0007	70-1070-IMP0008
			
			70-1070-IMP0009
		3.7 mmD x 8 mmL x 3.5 mmP	70-1070-IMP0005
		3.7 mmD x 10 mmL x 3.5 mmP	70-1070-IMP0006
		3.7 mmD x 11.5 mmL x 3.5 mmP	70-1070-IMP0007
		3.7 mmD x 13 mmL x 3.5 mmP	70-1070-IMP0008
		3.7 mmD x 16 mmL x 3.5 mmP	70-1070-IMP0009

			
70-1070-IMP0026	70-1070-IMP0027	70-1070-IMP0028	70-1070-IMP0029
			
			70-1070-IMP0030
		4.2 mmD x 8 mmL x 3.5 mmP	70-1070-IMP0026
		4.2 mmD x 10 mmL x 3.5 mmP	70-1070-IMP0027
		4.2 mmD x 11.5 mmL x 3.5 mmP	70-1070-IMP0028
		4.2 mmD x 13 mmL x 3.5 mmP	70-1070-IMP0029
		4.2 mmD x 16 mmL x 3.5 mmP	70-1070-IMP0030

			
70-1070-IMP0010	70-1070-IMP0011	70-1070-IMP0012	70-1070-IMP0013
			
			70-1070-IMP0014
		4.7 mmD x 8 mmL x 4.5 mmP	70-1070-IMP0010
		4.7 mmD x 10 mmL x 4.5 mmP	70-1070-IMP0011
		4.7 mmD x 11.5 mmL x 4.5 mmP	70-1070-IMP0012
		4.7 mmD x 13 mmL x 4.5 mmP	70-1070-IMP0013
		4.7 mmD x 16 mmL x 4.5 mmP	70-1070-IMP0014

			
70-1070-IMP0015	70-1070-IMP0016	70-1070-IMP0017	70-1070-IMP0018
			
			70-1070-IMP0019
		5.2 mmD x 8 mmL x 4.5 mmP	70-1070-IMP0015
		5.2 mmD x 10 mmL x 4.5 mmP	70-1070-IMP0016
		5.2 mmD x 11.5 mmL x 4.5 mmP	70-1070-IMP0017
		5.2 mmD x 13 mmL x 4.5 mmP	70-1070-IMP0018
		5.2 mmD x 16 mmL x 4.5 mmP	70-1070-IMP0019

Healing Components

Description	Implant	Code
-------------	---------	------

Inclusive® Tapered Implant Healing Abutment

 <p>70-1069-IMP0001</p>	3.5 mmP x 3.5 mmD x 3 mmH	Ø3.7/4.2	70-1069-IMP0001
 <p>70-1069-IMP0002</p>	3.5 mmP x 3.5 mmD x 5 mmH	Ø3.7/4.2	70-1069-IMP0002
 <p>70-1069-IMP0003</p>	3.5 mmP x 4.7 mmD x 3 mmH	Ø3.7/4.2	70-1069-IMP0003
 <p>70-1069-IMP0004</p>	3.5 mmP x 4.7 mmD x 5 mmH	Ø3.7/4.2	70-1069-IMP0004
<hr/>			
 <p>70-1069-IMP0005</p>	4.5 mmP x 4.5 mmD x 3 mmH	Ø4.7/5.2	70-1069-IMP0005
 <p>70-1069-IMP0006</p>	4.5 mmP x 4.5 mmD x 5 mmH	Ø4.7/5.2	70-1069-IMP0006
 <p>70-1069-IMP0007</p>	4.5 mmP x 5.7 mmD x 3 mmH	Ø4.7/5.2	70-1069-IMP0007
 <p>70-1069-IMP0008</p>	4.5 mmP x 5.7 mmD x 5 mmH	Ø4.7/5.2	70-1069-IMP0008

(Healing Abutments require a 0.050" hex instrument for placement - see page 20.)

Healing Components

Description Implant Code

Inclusive® Tapered Implant Temporary Abutment



70-1073-PRA0022

3.5 mmP

Ø3.7/4.2

70-1073-PRA0022



70-1073-PRA0023

3.5 mmP, Non-Engaging

Ø3.7/4.2

70-1073-PRA0023



70-1073-PRA0024

4.5 mmP

Ø4.7/5.2

70-1073-PRA0024




70-1073-PRA0025

4.5 mmP, Non-Engaging

Ø4.7/5.2

70-1073-PRA0025

 (Temporary Abutments include Titanium Screw and Guide Pin.)

Impression Components

Inclusive® Tapered Implant Transfer Coping



70-1072-PRC0007

Closed-Tray, 3.5 mmP x 3.5 mmD

Ø3.7/4.2

70-1072-PRC0007



70-1072-PRC0009

Closed-Tray, 3.5 mmP x 4.7 mmD

Ø3.7/4.2

70-1072-PRC0009



70-1072-PRC0011

Closed-Tray, 4.5 mmP x 4.5 mmD

Ø4.7/5.2

70-1072-PRC0011




70-1072-PRC0013

Closed-Tray, 4.5 mmP x 5.7 mmD

Ø4.7/5.2

70-1072-PRC0013

 (Closed-Tray Transfer Copings include Closed-Tray Screw.)

Impression Components

Description	Implant	Code
-------------	---------	------

Inclusive® Tapered Implant Transfer Coping



Open-Tray, 3.5 mmP x 3.5 mmD

Ø3.7/4.2

70-1072-PRC0006



Open-Tray, 3.5 mmP x 4.7 mmD

Ø3.7/4.2

70-1072-PRC0008



Open-Tray, 4.5 mmP x 4.5 mmD

Ø4.7/5.2

70-1072-PRC0010




Open-Tray, 4.5 mmP x 5.7 mmD

Ø4.7/5.2

70-1072-PRC0012

 (Open-Tray Transfer Copings include Open-Tray Screw and Guide Pin.)

Inclusive® Tapered Implant Clinical Scanning Abutment



Anterior, 3.5 mmP

Ø3.7/4.2

70-1073-PRA0042



Anterior, 4.5 mmP

Ø4.7/5.2

70-1073-PRA0043



Posterior, 3.5 mmP

Ø3.7/4.2

70-1073-PRA0040



Posterior, 4.5 mmP

Ø4.7/5.2

70-1073-PRA0041

(Scanning Abutments include captured screw.)

Inclusive® Tapered Implant Laboratory Scanning Abutment



3.5 mmP (3-pack)

Ø3.7/4.2

70-1073-PRA0033



4.5 mmP (3-pack)

Ø4.7/5.2

70-1073-PRA0034

(Scanning Abutments include captured screw.)

Inclusive® Tapered Implant Analog



3.5 mmP

Ø3.7/4.2

70-1072-PRC0015



4.5 mmP


Ø4.7/5.2

70-1072-PRC0017

Stock Abutments

Description Implant Code


Inclusive® Tapered Implant 15° Titanium Esthetic Abutment



Anterior, 3.5 mmP

Ø3.7/4.2


70-1073-PRA0009



Anterior, 4.5 mmP

Ø4.7/5.2

70-1073-PRA0010



Posterior, 4.5 mmP

Ø4.7/5.2

70-1073-PRA0013


Inclusive® Tapered Implant Titanium Esthetic Abutment



Anterior, 3.5 mmP

Ø3.7/4.2

70-1073-PRA0011



Anterior, 4.5 mmP

Ø4.7/5.2


70-1073-PRA0012



Posterior, 4.5 mmP

Ø4.7/5.2


70-1073-PRA0014



Posterior, Wide, 4.5 mmP

Ø4.7/5.2

70-1073-PRA0015

 (Esthetic Abutments include Titanium Screw.)

Inclusive® Tapered Implant Titanium Abutment



3.5 mmP x 6 mmH

Ø3.7/4.2


70-1073-PRA0006










4.5 mmP x 6 mmH

Ø4.7/5.2




70-1073-PRA0008

 (Titanium Screw sold separately; please see page 12.)

Stock Abutments

	Description	Implant	Code
Inclusive® Tapered Implant UCLA Gold Abutment			
 70-1073-PRA0027	Gold Abutment, 3.5 mmP	Ø3.7/4.2	70-1073-PRA0027
 70-1073-PRA0029	Gold Abutment, 4.5 mmP	Ø4.7/5.2	70-1073-PRA0029
Inclusive® Tapered Implant UCLA Plastic Abutment			
 70-1073-PRA0018	3.5 mmP	Ø3.7/4.2	70-1073-PRA0018
 70-1073-PRA0019	Non-Engaging, 3.5 mmP	Ø3.7/4.2	70-1073-PRA0019
 70-1073-PRA0020	4.5 mmP	Ø4.7/5.2	70-1073-PRA0020
 70-1073-PRA0021	Non-Engaging, 4.5 mmP	Ø4.7/5.2	70-1073-PRA0021
	 (UCLA Abutments include Titanium Screw and Guide Pin.)		





Screws & Guide Pins

Inclusive® Tapered Implant			
 70-1072-PRC0001	Titanium Screw	All Ø	70-1072-PRC0001
 70-1072-PRC0003	Titanium Screw (5-pack)	All Ø	70-1072-PRC0003
 70-1072-PRC0002	Guide Pin (5-pack)	All Ø	70-1072-PRC0002

Multi-Unit Abutment System

Description	Implant	Code
-------------	---------	------

Inclusive® Tapered Implant Multi-Unit Abutment

		3.5 mmP x 1 mmH	Ø3.7/4.2	70-1074-PRS0009
		3.5 mmP x 2 mmH	Ø3.7/4.2	70-1074-PRS0010
		4.5 mmP x 1 mmH	Ø4.7/5.2	70-1074-PRS0011
		4.5 mmP x 2 mmH	Ø4.7/5.2	70-1074-PRS0012
		4.5 mmP x 3 mmH	Ø4.7/5.2	70-1074-PRS0013
		4.5 mmP x 5 mmH	Ø4.7/5.2	70-1074-PRS0014
<i>(Prosthetic Screw sold separately)</i>				

Inclusive® Tapered Implant 17° Multi-Unit Abutment














		3.5 mmP x 2 mmH	Ø3.7/4.2	70-1074-PRS0001
		3.5 mmP x 3 mmH	Ø3.7/4.2	70-1074-PRS0002
		4.5 mmP x 2 mmH	Ø4.7/5.2	70-1074-PRS0003
		4.5 mmP x 3 mmH	Ø4.7/5.2	70-1074-PRS0004
		4.5 mmP x 5 mmH	Ø4.7/5.2	70-1074-PRS0005

Inclusive® Tapered Implant 30° Multi-Unit Abutment

	3.5 mmP x 3 mmH	Ø3.7/4.2	70-1074-PRS0006
	4.5 mmP x 3 mmH	Ø4.7/5.2	70-1074-PRS0007
	4.5 mmP x 5 mmH	Ø4.7/5.2	70-1074-PRS0008

 *(Angled Multi-Unit Abutments include Angled Abutment Screw. Prosthetic Screw sold separately; please see page 14.)*

Multi-Unit Abutment System


















	Description	Code
Inclusive® Multi-Unit		
 70-1074-PRS0015	Temporary Healing Cap <i>(Includes Prosthetic Screw)</i>	70-1074-PRS0015
 70-1073-PRA0037	Coping 4.5 mmH, Non-Engaging <i>(includes Prosthetic Screw .050" Hex)</i>	70-1073-PRA0037
 70-1074-PRS0019	Guide Pin .050" Hex	70-1074-PRS0019
 70-1074-PRS0030	Gold/Plastic Coping <i>(Includes Prosthetic Screw)</i>	70-1074-PRS0030
 70-1074-PRS0018	Gold Bar Coping <i>(Includes Prosthetic Screw)</i>	70-1074-PRS0018
 70-1074-PRS0022	Impression Coping, Open-Tray <i>(Includes Guide Pin)</i>	70-1074-PRS0022
 70-1074-PRS0021	Impression Coping, Closed-Tray	70-1074-PRS0021
 70-1074-PRS0025	Titanium Temporary <i>(Includes Prosthetic Screw)</i>	70-1074-PRS0025
 70-1074-PRA0038	Scanning Abutment <i>(Includes Prosthetic Screw)</i>	70-1073-PRA0038
 70-1074-PRS0016	Abutment Analog	70-1074-PRS0016
 70-1074-PRS0028	Abutment Driver	70-1074-PRS0028
 70-1072-PRC0014	Prosthetic Screw .050" Hex	70-1072-PRC0014
 70-1072-PRC0043	Prosthetic Screw - Unigrip™ Driver <i>(Unigrip is a trademark of the Nobel Biocare group.)</i>	70-1072-PRC0043

LOCATOR® Abutment System

	Description	Implant	Code
	LOCATOR® Abutment 3.5 mmP x 0 mmH Cuff [#8661]	Ø3.7/4.2	70-1075-ZST0011
	3.5 mmP x 1.0 mmH Cuff [#8662]	Ø3.7/4.2	70-1075-ZST0012
	3.5 mmP x 2.5 mmH Cuff [#8663]	Ø3.7/4.2	70-1075-ZST0013
	3.5 mmP x 3.5 mmH Cuff [#8664]	Ø3.7/4.2	70-1075-ZST0014
	4.5 mmP x 0 mmH Cuff [#8671]	Ø4.7/5.2	70-1075-ZST0015
	4.5 mmP x 1.0 mmH Cuff [#8672]	Ø4.7/5.2	70-1075-ZST0016
	4.5 mmP x 2.0 mmH Cuff [#8673]	Ø4.7/5.2	70-1075-ZST0017
	4.5 mmP x 3.0 mmH Cuff [#8674]	Ø4.7/5.2	70-1075-ZST0018
	4.5 mmP x 4.0 mmH Cuff [#8675]	Ø4.7/5.2	70-1075-ZST0019


LOCATOR is a registered trademark of Zest Anchors, LLC.

LOCATOR® Abutment System

Description	Code	
LOCATOR®		
 70-1075-ZST0024	Male Processing Package (2-pack) [#8519-2] <i>(Includes: Denture Cap with Black Processing Male, Clear Nylon Male (5lbs), Pink (LR) Less Retentive Nylon Male (3lbs), Blue Extra-Light Retention Nylon Male (1.5lb), and White Block-out Spacer.)</i>	70-1075-ZST0024
 70-1075-ZST0025	Extended Range Male Processing Package (2-pack) [#8540-2] <i>(Includes: Denture Cap with Black Processing Male, Extended Range Replacement Males: Green (3-4lbs), Orange (2lbs), Red (0.5-1.5lbs), and White Block-Out Spacer.)</i>	70-1075-ZST0025
 70-1075-ZST0007	Impression Coping (4-pack) [#8505]	70-1075-ZST0007
 70-1075-ZST0009	Female Analog 4 mmD (4-pack) [#8530]	70-1075-ZST0009
 70-1075-ZST0005	Core Tool Abutment Holder Sleeve (4-pack) [#8394]	70-1075-ZST0005
 70-1075-ZST0026	Angle Measurement Guide [#9530]	70-1075-ZST0026
 70-1075-ZST0010	Processing Spacer (4-pack) [#8569]	70-1075-ZST0010
 70-1075-ZST0004	Core Tool (Complete) [#8393]	70-1075-ZST0004
 70-1075-ZST0006	Core Tool Male Removal (Tip End) [#8397]	70-1075-ZST0006
 70-1075-ZST0008	Parallel Post (4-pack) [#8517]	70-1075-ZST0008
 70-1075-ZST0003	Core Tool Abutment Driver (Gold End) [#8390]	70-1075-ZST0003
 70-1075-ZST0001	35 Ncm Torque Wrench Insert Driver (15 mm) [#8260]	70-1075-ZST0001
 70-1075-ZST0002	35 Ncm Torque Wrench Insert Driver (21 mm) [#8280]	70-1075-ZST0002
 70-1075-ZST0020	Latch Type Torque Wrench Insert Driver (23 mm) [#8913]	70-1075-ZST0020
 70-1075-ZST0021	Latch Type Torque Wrench Insert Driver (29 mm) [#8914]	70-1075-ZST0021
 70-1075-ZST0022	Square Drive Torque Wrench Insert Driver (15 mm) [#8926]	70-1075-ZST0022
 70-1075-ZST0023	Square Drive Torque Wrench Insert Driver (21 mm) [#8927]	70-1075-ZST0023

LOCATOR is a registered trademark of Zest Anchors, LLC.

Surgical Kit Overview




(Screw Taps sold separately)

Surgical Kit

All instruments associated with the Inclusive Tapered Implant system are machined from high-quality, corrosion-resistant, surgical stainless steel, and feature standard ISO latch connectivity.

Description	Code
Inclusive® Tapered Implant Surgical Instrumentation Kit	70-1071-IMP0002



Features and Benefits

The surgical instrument tray allows the clinician to easily organize, store and transport the components of the Inclusive Tapered Implant System. It has been designed for ease of use, with component markings and angled rows for easy identification and to help maximize space. The durable, synthetic material is autoclavable and provides a snug, secure fit.

Drills are arranged from left to right in order of increasing diameter / bone density, with color-coded fields to indicate the corresponding diameter of Inclusive Tapered Implant. Screw Taps are sold separately.

















Sterilization

It is recommended that the Surgical Instrumentation Kit be steam-sterilized for twenty (20) minutes at 132°C/270°F minimum.

General Cleaning Tips:

- Observe universal precautions for the handling of contaminated or biohazardous materials.
- Clean promptly after each use, to prevent biological fluids and tissues from drying on the instruments.
- When applicable, disassemble parts and instruments prior to cleaning.
- Do not rely solely on automatic cleaning. Thorough manual cleaning is recommended.
- Preliminary cleaning should consist of wiping parts, soaking them in a lukewarm enzymatic solution for a minimum of twenty (20) minutes, and rinsing them with running water.
- Routine cleaning should consist of (a) washing parts using a broad spectrum cleaning solution, followed by thorough rinsing and drying; and (b) sonicate parts fully submerged in cleaning solution for at least ten (10) minutes, preferably at 45-50kHz, followed by thorough rinsing and drying.

Drills & Taps

	Description	Code
Inclusive®		
	Lance Drill Ø1.5 mm	70-1071-SRG0030
	Pilot Drill Ø2.3/2.0 mm, Long	70-1071-SRG0007
	Pilot Drill Ø2.3/2.0 mm, Short	70-1071-SRG0009
	Surgical Drill Ø2.8/2.3 mm, Long	70-1071-SRG0011
	Surgical Drill Ø2.8/2.3 mm, Short	70-1071-SRG0013
	Surgical Drill Ø3.4/2.8 mm, Long	70-1071-SRG0015
	Surgical Drill Ø3.4/2.8 mm, Short	70-1071-SRG0016
	Surgical Drill Ø3.8/3.4 mm, Long	70-1071-SRG0018
	Surgical Drill Ø3.8/3.4 mm, Short	70-1071-SRG0020
	Surgical Drill Ø4.4/3.8 mm, Long	70-1071-SRG0022
	Surgical Drill Ø4.4/3.8 mm, Short	70-1071-SRG0024
	Surgical Drill Ø4.9/4.4 mm, Long	70-1071-SRG0026
	Surgical Drill Ø4.9/4.4 mm, Short	70-1071-SRG0028
<hr/>		
	Screw Tap Ø3.7 mm	70-1071-SRG0031
	Screw Tap Ø4.2 mm	70-1071-SRG0152
	Screw Tap Ø4.7 mm	70-1071-SRG0032
	Screw Tap Ø5.2 mm <i>(Screw Taps sold separately)</i>	70-1071-SRG0033

Drivers & Accessories

Description Code

Inclusive®



Implant Driver, 2.5 mm Hex, Long

70-1071-SRG0027



Implant Driver, 2.5 mm Hex, Short

70-1071-SRG0029




Handpiece Implant Driver, 2.5 mm Hex, Long

70-1071-SRG0021




Handpiece Implant Driver 2.5 mm Hex, Short

70-1071-SRG0023




Prosthetic Driver .050" Hex, Long

70-1071-SRG0047



Prosthetic Driver .050" Hex, Short

70-1071-SRG0048




Torque Wrench, 70 Ncm

70-1071-SRG0046



Parallel Pin

70-1071-SRG0005



Drill Extender

70-1071-SRG0014



Prosthetic Driver Handle

70-1071-SRG0049



Tapered Implant Holder

70-1071-SRG0045



Tapered Implant Radiographic Template


70-1071-IMP0001

INCLUSIVE[®]
MINI IMPLANT SYSTEM



Technical Specifications

Below is an enhanced view of the Inclusive Mini Implant with O-ball Head prosthetic attachment, including a side-by-side comparison of the 2.2 mm diameter, 2.5 mm diameter, and 3.0 mm diameter implants. The stated length (10 mm, 13 mm, or 15 mm) refers to the thread length (endosseous section) of the implant, which includes the micro-threaded base of the transgingival collar.



Legacy Mini Implants with O-Ball Head

The original Inclusive Mini Implant design featured a 0.75 mm “short” neck, compared to the 1.5 mm “tall” neck featured in current Inclusive Mini Implant designs. The neck is the instrumentation square located directly above the transgingival collar.

Current Design
1.5 mm “Tall” Neck



Legacy Design
0.75 mm “Short” Neck



Description	Code
Inclusive® Mini Implant with Collar 2.2 x 10 mm O-Ball	2210
Inclusive® Mini Implant with Collar 2.2 x 13 mm O-Ball	2213
Inclusive® Mini Implant with Collar 2.2 x 15 mm O-Ball	2215
<hr/>	
Inclusive® Mini Implant with Collar 2.5 x 10 mm O-Ball	2510
Inclusive® Mini Implant with Collar 2.5 x 13 mm O-Ball	2513
Inclusive® Mini Implant with Collar 2.5 x 15 mm O-Ball	2515
<hr/>	
Inclusive® Mini Implant with Collar 3.0 x 10 mm O-Ball	3010
Inclusive® Mini Implant with Collar 3.0 x 13 mm O-Ball	3013
Inclusive® Mini Implant with Collar 3.0 x 15 mm O-Ball	3015

Mini Implants with O-Ball Head

Inclusive Mini Implants are self-tapping threaded titanium screws indicated for long-term applications. Inclusive Mini Implants may also be used for provisional applications. These devices will allow immediate loading and long-term stabilization of dentures and provisional stabilization of dentures while standard implants heal. The implants are to be used for immediate loading only in the presence of primary stability and appropriate occlusal loading.

Description _____ Code _____

Inclusive® Mini Implant O-Ball



2.2 mmD x 10 mmL	70-1068-IMP0001
2.2 mmD x 13 mmL	70-1068-IMP0002
2.2 mmD x 15 mmL	70-1068-IMP0003




2.5 mmD x 10 mmL	70-1068-IMP0004
2.5 mmD x 13 mmL	70-1068-IMP0005
2.5 mmD x 15 mmL	70-1068-IMP0006



3.0 mmD x 10 mmL	70-1068-IMP0007
3.0 mmD x 13 mmL	70-1068-IMP0008
3.0 mmD x 15 mmL	70-1068-IMP0009

Prosthetic Components

The O-ring Housing serves as the retention cap for each Inclusive Mini Implant that is placed. The housing is picked up by the patient's prosthesis using a hard relined of the new or existing denture. These loading procedures can typically be performed immediately after placement of the Inclusive Mini Implants, provided primary stability and appropriate occlusal loading are assured.



The housing is 3.5 mm in height, and 4.75 mm in diameter. The same housing is used regardless of the diameter or length of the selected Inclusive Mini Implant. A vertical space of approximately 1 mm between the crest of the implant collar and the mouth of the housing provides for up to 30 degrees of angular divergence between seated implants.

Each housing comes packaged with one 3/16" x 1/16" O-ring seated within, plus one extra replacement O-ring.

Description	Code
-------------	------

Inclusive® Mini Implant



70-1066-MNP0006

O-Ring Housing

70-1066-MNP0006



70-1066-MNP0008

Prosthetic O-Rings, 3/16" x 1/16" (10-pack)

70-1066-MNP0008



70-1066-MNI0001

Blockout Shims (25-pack)

70-1066-MNI0001



70-1066-MNP0004

Impression Coping (4-pack)

70-1066-MNP0004



70-1066-MNP0005

Replica (4-pack)

70-1066-MNP0005

Legacy Prosthetic Components

The original Inclusive Mini Implant design featured a 0.75 mm "short" neck, compared to the 1.5 mm "tall" neck featured in current Inclusive Mini Implant designs. The neck is the instrumentation square located directly above the transgingival collar. The components below are for use during the restorative phase of cases utilizing the original "short" neck (0.75 mm) design.

Description	Code
-------------	------

Inclusive® Mini Implant Legacy



70-1066-MNP0003

Impression Coping .75 mm Neck (4-pack)

70-1066-MNP0003




70-1066-MNP0002

Replica .75 mm Neck (4-pack)

70-1066-MNP0002

Surgical Kit Overview



Surgical Kit

All instruments associated with the Inclusive Mini Implant system are machined from high-quality, corrosion-resistant, surgical stainless steel.

Description	Code
Inclusive® Mini Implant Surgical Instrumentation Kit	70-1067-MNI0006



Features and Benefits

The Mini Implant Surgical Instrumentation Kit allows the clinician to easily organize, store and transport the components of the Inclusive Mini Implant System. It has been designed for ease of use, with component markings and angled rows for easy identification and to help maximize space. The durable, synthetic material is autoclavable and provides a snug, secure fit.

Drills are arranged from left to right in order of increasing diameter, with color-coded fields to indicate the corresponding diameter of Inclusive Mini Implant.

Sterilization

It is recommended that the Surgical Instrumentation Kit be steam-sterilized for twenty (20) minutes at 132°C/270°F minimum.

General Cleaning Tips:

- Observe universal precautions for the handling of contaminated or biohazardous materials.
- Clean promptly after each use, to prevent biological fluids and tissues from drying on the instruments.
- When applicable, disassemble parts and instruments prior to cleaning.
- Do not rely solely on automatic cleaning. Thorough manual cleaning is recommended.
- Preliminary cleaning should consist of wiping parts, soaking them in a lukewarm enzymatic solution for a minimum of twenty (20) minutes, and rinsing them with running water.
- Routine cleaning should consist of (a) washing parts using a broad spectrum cleaning solution, followed by thorough rinsing and drying; and (b) sonicate parts fully submerged in cleaning solution for at least ten (10) minutes, preferably at 45-50 kHz, followed by thorough rinsing and drying.

Instrumentation

Description Code

Inclusive®



Cortical Bone Drill Ø1.5 mm

70-1071-SRG0008



Cortical Bone Drill Ø1.7 mm

70-1071-SRG0010



Cortical Bone Drill Ø2.4 mm

70-1071-SRG0012



Drill Extender

70-1071-SRG0014




Mini Implant Driver, 13 mm

70-1067-MNI0004



Mini Implant Driver, 5 mm

70-1067-MNI0003



Handpiece Mini Implant Driver, 13 mm

70-1067-MNI0001



Handpiece Mini Implant Driver, 5 mm

70-1067-MNI0002



Torque Wrench, 70 Ncm

70-1071-SRG0046



Latch-Square Adaptor

70-1072-PRC0050



Mini Implant Radiographic Template

70-1067-MNI007

Implant Packaging

Inclusive Implants are packaged sterile by gamma irradiation, and are intended for single-use only, prior to the expiration date. Do not use implants if packaging has been compromised or previously opened. Packaging consists of a shrink-wrapped vial inside a robust heat-sealed plastic pouch. Please refer to the individual product label for all relevant product information and cautions. Printed label includes convenient peel-off stickers for individual case records.

Explanation of Label Codes:

1. Official product description
2. Product image silhouette
3. Reference number (product code)
4. Lot number
5. For prescription only
6. Do not use if tampered with
7. Gamma sterilization symbol
8. Expiration date
9. Consult Instructions for Use (IFU)
10. Do not re-sterilize
11. For single-use only
12. Manufacturer
13. Guaranteed Made in USA
14. CE 0086
15. Peel-off case labels



Policies and Warranty

Product Return Policy

Products may be returned at the customer's expense for credit within 30 days of invoice date. All returned products must meet the following conditions:

- A copy of the original invoice must accompany the products.
- Products must be packaged to arrive at the seller's facility undamaged.
- Discontinued, obsolete, expired, damaged, or opened items will not be accepted for return.
- Amount credited will be based on invoice price, less 15 percent for restocking fee.
- Shipping charges are the responsibility of the customer and will not be credited.

Product & Pricing Changes

Because products and equipment are continually undergoing refinement in design and manufacturing methods, we reserve the right to improve, modify, or discontinue products and equipment or change pricing at any time without incurring any obligation and without prior notice.

Warranty

Limited Warranty—Prismatik Dentalcraft, Inc.

Prismatik Dentalcraft, Inc. ("Prismatik") is the manufacturer of dental products (the "product"), including Inclusive® Dental Implants ("implants"). For a period from the original purchase date of seven (7) years for implants and six (6) months for ceramic blanks and any other product ("the warranty period"), Prismatik will at its option replace or refund the purchase price of any product, to the original purchaser ("user"), that is returned due to defects in material and manufacture.

NO GUARANTEE OR WARRANTY IS IMPLIED OTHER THAN EXPRESSLY STATED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Prismatik shall not be liable for any incidental or consequential damages, whether foreseeable or not, caused by defects in the product or dental devices produced using said product. User is responsible for determining the suitability of the product for user's application. If this product is defective within the warranty period, user's exclusive remedy and Prismatik's sole obligation shall be replacement or refund of the purchase price of the product. For replacement or refund under this warranty, the original purchaser shall send the product at its own expense, postage prepaid, to the seller.

Parts Index

CODE	DESCRIPTION	PAGE	CODE	DESCRIPTION	PAGE
INCLUSIVE TAPERED IMPLANT SYSTEM					
IMPLANTS					
70-1070-IMP0006	Tapered Implant 3.7 mmD x 10 mmL	7	70-1071-SRG0047	Prosthetic Driver .050" Hex, Long	20
70-1070-IMP0007	Tapered Implant 3.7 mmD x 11.5 mmL	7	70-1071-SRG0048	Prosthetic Driver .050" Hex, Short	20
70-1070-IMP0008	Tapered Implant 3.7 mmD x 13 mmL	7	70-1071-IMP0001	Radiographic Template	20
70-1070-IMP0009	Tapered Implant 3.7 mmD x 16 mmL	7	70-1071-SRG0045	Tapered Implant Holder	20
70-1070-IMP0005	Tapered Implant 3.7 mmD x 8 mmL	7	70-1071-SRG0046	Torque Wrench, 70 Ncm	20
70-1070-IMP0027	Tapered Implant 4.2 mmD x 10 mmL	7	PROSTHETICS - HEALING/TEMPORIZATION		
70-1070-IMP0028	Tapered Implant 4.2 mmD x 11.5 mmL	7	70-1069-IMP0001	Healing Abutment 3.5 mmP x 3.5 mmD x 3 mmH	8
70-1070-IMP0029	Tapered Implant 4.2 mmD x 13 mmL	7	70-1069-IMP0002	Healing Abutment 3.5 mmP x 3.5 mmD x 5 mmH	8
70-1070-IMP0030	Tapered Implant 4.2 mmD x 16 mmL	7	70-1069-IMP0003	Healing Abutment 3.5 mmP x 4.7 mmD x 3 mmH	8
70-1070-IMP0026	Tapered Implant 4.2 mmD x 8 mmL	7	70-1069-IMP0004	Healing Abutment 3.5 mmP x 4.7 mmD x 5 mmH	8
70-1070-IMP0011	Tapered Implant 4.7 mmD x 10 mmL	7	70-1069-IMP0005	Healing Abutment 4.5 mmP x 4.5 mmD x 3 mmH	8
70-1070-IMP0012	Tapered Implant 4.7 mmD x 11.5 mmL	7	70-1069-IMP0006	Healing Abutment 4.5 mmP x 4.5 mmD x 5 mmH	8
70-1070-IMP0013	Tapered Implant 4.7 mmD x 13 mmL	7	70-1069-IMP0007	Healing Abutment 4.5 mmP x 5.7 mmD x 3 mmH	8
70-1070-IMP0014	Tapered Implant 4.7 mmD x 16 mmL	7	70-1069-IMP0008	Healing Abutment 4.5 mmP x 5.7 mmD x 5 mmH	8
70-1070-IMP0010	Tapered Implant 4.7 mmD x 8 mmL	7	70-1073-PRA0022	Temporary Abutment 3.5 mmP	9
70-1070-IMP0016	Tapered Implant 5.2 mmD x 10 mmL	7	70-1073-PRA0024	Temporary Abutment 4.5 mmP	9
70-1070-IMP0017	Tapered Implant 5.2 mmD x 11.5 mmL	7	70-1073-PRA0023	Temporary Abutment, Non-Engaging, 3.5 mmP	9
70-1070-IMP0018	Tapered Implant 5.2 mmD x 13 mmL	7	70-1073-PRA0025	Temporary Abutment, Non-Engaging, 4.5 mmP	9
70-1070-IMP0019	Tapered Implant 5.2 mmD x 16 mmL	7	PROSTHETICS - IMPRESSIONS/ANALOGS		
70-1070-IMP0015	Tapered Implant 5.2 mmD x 8 mmL	7	70-1072-PRC0015	Analog 3.5 mmP	10
INSTRUMENTATION					
70-1071-IMP0002	Surgical Instrumentation Kit	18	70-1072-PRC0017	Analog 4.5 mmP	10
INSTRUMENTATION - DRILLS & TAPS					
70-1071-SRG0030	Lance Drill Ø1.5 mm	19	70-1073-PRA0042	Clinical Scanning Abutment, Anterior, 3.5 mmP	10
70-1071-SRG0007	Pilot Drill Ø2.3/2.0 mm, Long	19	70-1073-PRA0043	Clinical Scanning Abutment, Anterior, 4.5 mmP	10
70-1071-SRG0009	Pilot Drill Ø2.3/2.0 mm, Short	19	70-1073-PRA0040	Clinical Scanning Abutment, Posterior, 3.5 mmP	10
70-1071-SRG0031	Screw Tap Ø3.7 mm	19	70-1073-PRA0041	Clinical Scanning Abutment, Posterior, 4.5 mmP	10
70-1071-SRG0152	Screw Tap Ø4.2 mm	19	70-1073-PRA0033	Laboratory Scanning Abutment 3.5 mmP (3/pk)	10
70-1071-SRG0032	Screw Tap Ø4.7 mm	19	70-1073-PRA0034	Laboratory Scanning Abutment 4.5 mmP (3/pk)	10
70-1071-SRG0033	Screw Tap Ø5.2 mm	19	70-1072-PRC0007	Transfer Coping, Closed-Tray, 3.5 mmP x 3.5 mmD	9
70-1071-SRG0011	Surgical Drill Ø2.8/2.3 mm, Long	19	70-1072-PRC0009	Transfer Coping, Closed-Tray, 3.5 mmP x 4.7 mmD	9
70-1071-SRG0013	Surgical Drill Ø2.8/2.3 mm, Short	19	70-1072-PRC0011	Transfer Coping, Closed-Tray, 4.5 mmP x 4.5 mmD	9
70-1071-SRG0015	Surgical Drill Ø3.4/2.8 mm, Long	19	70-1072-PRC0013	Transfer Coping, Closed-Tray, 4.5 mmP x 5.7 mmD	9
70-1071-SRG0016	Surgical Drill Ø3.4/2.8 mm, Short	19	70-1072-PRC0006	Transfer Coping, Open-Tray, 3.5 mmP x 3.5 mmD	10
70-1071-SRG0018	Surgical Drill Ø3.8/3.4 mm, Long	19	70-1072-PRC0008	Transfer Coping, Open-Tray, 3.5 mmP x 4.7 mmD	10
70-1071-SRG0020	Surgical Drill Ø3.8/3.4 mm, Short	19	70-1072-PRC0010	Transfer Coping, Open-Tray, 4.5 mmP x 4.5 mmD	10
70-1071-SRG0022	Surgical Drill Ø4.4/3.8 mm, Long	19	70-1072-PRC0012	Transfer Coping, Open-Tray, 4.5 mmP x 5.7 mmD	10
70-1071-SRG0024	Surgical Drill Ø4.4/3.8 mm, Short	19	PROSTHETICS - LOCATOR ABUTMENT SYSTEM		
70-1071-SRG0026	Surgical Drill Ø4.9/4.4 mm, Long	19	70-1075-ZST0001	35 Ncm Torque Wrench Insert Driver (15 mm)	16
70-1071-SRG0028	Surgical Drill Ø4.9/4.4 mm, Short	19	70-1075-ZST0002	35 Ncm Torque Wrench Insert Driver (21 mm)	16
INSTRUMENTATION - DRIVERS & ACCESSORIES					
70-1071-SRG0014	Drill Extender	20	70-1075-ZST0026	Angle Measurement Guide	16
70-1071-SRG0049	Prosthetic Driver Handle	20	70-1075-ZST0004	Core Tool (Complete)	16
70-1071-SRG0021	Handpiece Implant Driver 2.5 mm Hex, Long	20	70-1075-ZST0003	Core Tool Abutment Driver (Gold End)	16
70-1071-SRG0023	Handpiece Implant Driver, 2.5 mm Hex, Short	20	70-1075-ZST0005	Core Tool Abutment Holder Sleeve (4/pk)	16
70-1071-SRG0027	Implant Driver, Long	20	70-1075-ZST0006	Core Tool Male Removal (Tip End)	16
70-1071-SRG0029	Implant Driver, Short	20	70-1075-ZST0025	Extended Range Male Processing Package (2/pk)	16
70-1071-SRG0005	Parallel Pin	20	70-1075-ZST0009	Female Analog 4 mmD (4/pk)	16
			70-1075-ZST0007	Impression Coping (4/pk)	16
			70-1075-ZST0020	Latch Type Torque Wrench Insert Driver (23 mm)	16
			70-1075-ZST0021	Latch Type Torque Wrench Insert Driver (29 mm)	16
			70-1075-ZST0011	Locator Abutment 3.5 mmP x 0 mmH Cuff	15
			70-1075-ZST0012	Locator Abutment 3.5 mmP x 1 mmH Cuff	15
			70-1075-ZST0013	Locator Abutment 3.5 mmP x 2.5 mmH Cuff	15

Parts Index

CODE	DESCRIPTION	PAGE	CODE	DESCRIPTION	PAGE
70-1075-ZST0014	Locator Abutment 3.5 mmP x 3.5 mmH Cuff	15	70-1073-PRA0011	Ti. Esthetic Abutment, Anterior, 3.5 mmP	11
70-1075-ZST0015	Locator Abutment 4.5 mmP x 0 mmH Cuff	15	70-1073-PRA0012	Ti. Esthetic Abutment, Anterior, 4.5 mmP	11
70-1075-ZST0016	Locator Abutment 4.5 mmP x 1 mmH Cuff	15	70-1073-PRA0014	Ti. Esthetic Abutment, Posterior, 4.5 mmP	11
70-1075-ZST0017	Locator Abutment 4.5 mmP x 2 mmH Cuff	15	70-1073-PRA0015	Ti. Esthetic Abutment, Posterior, Wide, 4.5 mmP	11
70-1075-ZST0018	Locator Abutment 4.5 mmP x 3 mmH Cuff	15			
70-1075-ZST0019	Locator Abutment 4.5 mmP x 4 mmH Cuff	15			
70-1075-ZST0024	Male Processing Package (2/pk)	16	PROSTHETICS - UCLA ABUTMENTS		
70-1075-ZST0008	Parallel Post (4/pk)	16	70-1073-PRA0027	UCLA Gold Abutment, 3.5 mmP	12
70-1075-ZST0010	Processing Spacer (4/pk)	16	70-1073-PRA0029	UCLA Gold Abutment, 4.5 mmP	12
70-1075-ZST0022	Square Drive Torque Wrench Insert Driver (15 mm)	16	70-1073-PRA0018	UCLA Plastic Abutment, 3.5 mmP	12
70-1075-ZST0023	Square Drive Torque Wrench Insert Driver (21 mm)	16	70-1073-PRA0020	UCLA Plastic Abutment, 4.5 mmP	12
			70-1073-PRA0019	UCLA Plastic Abutment, Non-Engaging, 3.5 mmP	12
			70-1073-PRA0021	UCLA Plastic Abutment, Non-Engaging, 4.5 mmP	12
PROSTHETICS - MULTI-UNIT ABUTMENT SYSTEM					
70-1074-PRS0001	17° Multi-Unit Abutment 3.5 mmP x 2 mmH	13	INCLUSIVE MINI IMPLANT SYSTEM		
70-1074-PRS0002	17° Multi-Unit Abutment 3.5 mmP x 3 mmH	13	IMPLANTS		
70-1074-PRS0003	17° Multi-Unit Abutment 4.5 mmP x 2 mmH	13	70-1068-IMP0001	Mini Implant O-Ball 2.2 mmD x 10 mmL	23
70-1074-PRS0004	17° Multi-Unit Abutment 4.5 mmP x 3 mmH	13	70-1068-IMP0002	Mini Implant O-Ball 2.2 mmD x 13 mmL	23
70-1074-PRS0005	17° Multi-Unit Abutment 4.5 mmP x 5 mmH	13	70-1068-IMP0003	Mini Implant O-Ball 2.2 mmD x 15 mmL	23
70-1074-PRS0006	30° Multi-Unit Abutment 3.5 mmP x 3 mmH	13	70-1068-IMP0004	Mini Implant O-Ball 2.5 mmD x 10 mmL	23
70-1074-PRS0007	30° Multi-Unit Abutment 4.5 mmP x 3 mmH	13	70-1068-IMP0005	Mini Implant O-Ball 2.5 mmD x 13 mmL	23
70-1074-PRS0008	30° Multi-Unit Abutment 4.5 mmP x 5 mmH	13	70-1068-IMP0006	Mini Implant O-Ball 2.5 mmD x 15 mmL	23
70-1074-PRS0009	Multi-Unit Abutment 3.5 mmP x 1 mmH	13	70-1068-IMP0007	Mini Implant O-Ball 3.0 mmD x 10 mmL	23
70-1074-PRS0010	Multi-Unit Abutment 3.5 mmP x 2 mmH	13	70-1068-IMP0008	Mini Implant O-Ball 3.0 mmD x 13 mmL	23
70-1074-PRS0011	Multi-Unit Abutment 4.5 mmP x 1 mmH	13	70-1068-IMP0009	Mini Implant O-Ball 3.0 mmD x 15 mmL	23
70-1074-PRS0012	Multi-Unit Abutment 4.5 mmP x 2 mmH	13			
70-1074-PRS0013	Multi-Unit Abutment 4.5 mmP x 3 mmH	13	INSTRUMENTATION		
70-1074-PRS0014	Multi-Unit Abutment 4.5 mmP x 5 mmH	13	70-1071-SRG0008	Cortical Bone Drill Ø1.5 mm	27
70-1074-PRS0016	Multi-Unit Abutment Analog	14	70-1071-SRG0010	Cortical Bone Drill Ø1.7 mm	27
70-1073-PRA0037	Multi-Unit Coping 4.5 mmH, Non-Engaging	14	70-1071-SRG0012	Cortical Bone Drill Ø2.4 mm	27
70-1074-PRS0028	Multi-Unit Driver	14	70-1071-SRG0014	Drill Extender	27
70-1074-PRS0018	Multi-Unit Gold Bar Coping	14	70-1067-MNI0001	Handpiece Mini Implant Driver 13 mm	27
70-1074-PRS0030	Multi-Unit Gold/Plastic Coping	14	70-1067-MNI0002	Handpiece Mini Implant Driver 5 mm	27
70-1074-PRS0019	Multi-Unit Guide Pin .050" Hex	14	70-1072-PRC0050	Latch-Square Adaptor	27
70-1074-PRS0021	Multi-Unit Impression Coping, Closed-Tray	14	70-1067-MNI0004	Mini Implant Driver 13 mm	27
70-1074-PRS0022	Multi-Unit Impression Coping, Open-Tray	14	70-1067-MNI0003	Mini Implant Driver 5 mm	27
70-1072-PRC0043	Multi-Unit Prosthetic Screw - Unigrip Driver	14	70-1067-MNI0007	Radiographic Template	27
70-1072-PRC0014	Multi-Unit Prosthetic Screw .050" Hex	14	70-1067-MNI0006	Surgical Instrumentation Kit	26
70-1073-PRA0017	Multi-Unit Scanning Abutment	14	70-1071-SRG0046	Torque Wrench, 70 Ncm	27
70-1074-PRS0015	Multi-Unit Temporary Healing Cap	14			
70-1074-PRS0025	Multi-Unit Titanium Temporary	14	PROSTHETICS		
			70-1066-MNI0001	Blockout Shims (25/pk)	24
PROSTHETICS - SCREWS & GUIDE PINS			70-1066-MNP0004	Impression Coping (4/pk)	24
70-1072-PRC0002	Guide Pin (5/pk)	12	70-1066-MNP0005	Mini Implant Replica (4/pk)	24
70-1072-PRC0001	Titanium Screw	12	70-1066-MNP0006	O-Ring Housing	24
70-1072-PRC0003	Titanium Screw (5/pk)	12	70-1066-MNP0008	Prosthetic O-Rings 3/16" x 1/16" (10/pk)	24
PROSTHETICS - TITANIUM ABUTMENTS			PROSTHETICS - LEGACY		
70-1073-PRA0006	Titanium Abutment 3.5 mmP x 6 mmH	11	70-1066-MNP0003	Legacy Impression Coping .75 mm Neck (4/pk)	24
70-1073-PRA0008	Titanium Abutment 4.5 mmP x 6 mmH	11	70-1066-MNP0002	Legacy Mini Implant Replica .75 mm Neck (4/pk)	24
PROSTHETICS - TITANIUM ESTHETIC ABUTMENTS					
70-1073-PRA0009	15° Ti. Esthetic Abutment, Anterior, 3.5 mmP	11			
70-1073-PRA0010	15° Ti. Esthetic Abutment, Anterior, 4.5 mmP	11			
70-1073-PRA0013	15° Ti. Esthetic Abutment, Posterior, 4.5 mmP	11			

INCLUSIVE[®]

DENTAL IMPLANT SYSTEM



Designed & Manufactured in the USA
by



PRISMATIK
DENTALCRAFT, INC.

(A wholly owned subsidiary of Glidewell Laboratories)
2212 Dupont Dr. • Irvine, CA 92612